



# BATTERIES (SODIUM ION OR LITHIUM)

## 2026 DG Checklist

Tracking # \_\_\_\_\_

Date \_\_\_\_\_

The continued offering of non-compliant dangerous goods packages may result in the embargo of your dangerous goods shipments by FedEx.

**DIRECTIONS:** Mark the appropriate box for each item to indicate if the shipment complies with the requirement. Check all sides of the package, as applicable.

|   |  |   |  |
|---|--|---|--|
| 1. Package in good condition and <b>free of leakage, odor, or external damage</b> . [5.0.2.4.1; 9.1.3.1 (i)]  | <input type="checkbox"/> Y <input type="checkbox"/> N                              | 21. <b>24-hour emergency response telephone number</b> , including international prefix, if required by State or Operator variation. [2.8]  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. <b>Number and type of packaging(s) and/or overpack(s)</b> corresponds to Shipper's Declaration. [9.1.3.1 (g)]  | <input type="checkbox"/> Y <input type="checkbox"/> N                              | 22. <b>Name, date, and shipper's signature</b> (signature may be typewritten for U.S. domestic shipments, including U.S. territories). [8.1.4.1; 8.1.6.13-14]   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| 3. <b>Shipper's Declaration included</b> . [8.1.2] <b>Typewritten</b> or <b>computer-generated</b> per FX-07.   | <input type="checkbox"/> Y <input type="checkbox"/> N                              | 23. Shipper's same signature next to <b>amendments</b> and <b>alterations</b> (changes). [8.1.2.6]<br><b>NOTE:</b> An insertion in different handwriting or printing is not considered to be an alteration. | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 4. Shipment acceptable by both origin and destination locations per eSRG (does not apply to 023 shipments). [eSRG]  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |   |  |
| 5. Batteries not shipped in same package as Class 1.4, 2.1, 3, 4.1, 4.2, 4.3, 5.1, 5.2 and 8 and 2.2 with Cargo Aircraft Only label, including All Packed in One and Overpack. [FX-05 (b)]  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 6. <b>UN3480 and UN3090</b> : Class 9 Lithium Battery or Sodium Ion Battery Label affixed to package. [Figure 7.3.X; 7.3.18.2]  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |   |  |
| <b>ON THE SHIPPER'S DECLARATION</b>   |  |   |  |
| Tracking number must be completed by DG Specialist (if not already completed by Shipper). Shipper must provide 3 copies in English with at least 2 copies with red hatchings. [8.1.6.3; FX-08]  |  |   |  |
| 7. <b>Shipper's Declaration prepared per FX-18</b> (does not apply to 023 shipments or shipments originating in U.S. territories or non-U.S. locations).  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |   |  |
| 8. <b>Multiple Piece Shipments (MPS)</b> , all DG packages have one photocopy of the Shipper's Declaration attached. [8.1.6.3; FX-08]<br><b>NOTE:</b> When the Shipper's Declaration has more than one page, only the page with the relevant consignment details must be affixed to each outer package. | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |   |  |
| 9. <b>Shipper and Consignee name and full address</b> . For 023 shipments, shipper's address includes country name. [8.1.6.1; 8.1.6.2]  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 10. <b>Page of Pages</b> . [8.1.6.4]  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 11. <b>Passenger and Cargo Aircraft or Cargo Aircraft Only</b> limitations correctly indicated. <b>UN3090, UN3480, UN3551</b> must be Cargo Aircraft Only. [8.1.6.5; PI 965; PI 968; PI 976]<br><b>NOTE:</b> S.P. <b>A88</b> and <b>A99</b> must be Cargo Aircraft Only.                                | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 12. <b>Non-radioactive</b> correctly indicated. [8.1.6.8]   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 13. <b>UN number</b> preceded by prefix " <b>UN</b> ". [8.1.6.9.1, Step 1]  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 14. <b>Proper Shipping Name</b> . [8.1.6.9.1, Step 2]   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 15. <b>Class 9</b> indicated [8.1.6.9.1, Step 3]  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 16. <b>Packing Group</b> left blank on declaration. [8.1.6.9.1, Step 5]   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 17. <b>Number of packages and type of packaging</b> (e.g., 1 fibreboard box, 1 box fibreboard or 1 4G fibreboard box). [8.1.6.9.2, Step 6]  | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 18. <b>Net quantity</b> per package (in metric units) not exceeding Packing Instruction maximum per package, unless allowed by special provision. [8.1.6.9.2, Step 6 (a); A88; A99]   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 19. Packing Instruction number. [8.1.6.9.3, Step 8]<br><b>NOTE:</b> If <b>A88</b> in the Authorization field, then PI is <b>910</b> . If <b>A99</b> in the authorization field, then PI is <b>974</b> .   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |   |  |
| 20. Shipment complies with <b>special provisions</b> . [IATA 4.2, column M]<br><b>NOTE:</b> A802 does not apply to UN3090 IB and UN3480 IB shipments.   | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |   |  |

## OUTER PACKAGING

To complete this section, refer to the Packing Instructions provided on the Shipper's Declaration. If **UN Specification Codes** (4G, 1A1, 4H1, etc.) are listed for outer packaging, then UN Specification packaging is **required**.

|   |                              |
|---|------------------------------|
| 24. <b>Packing Instructions</b> : 910, 965-IA, 966-I, 968-IA, 969-I, 974, 976, 977-I, 978-I | <input type="checkbox"/> N/A |
|---|------------------------------|

**NOTE:** **N/A** may be marked for **Overpacks** with no visible UN Specification markings.

|  |  |
|--|--|
| a. Package permitted by Packing Instruction. [5.0.1.2 (b)]   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| • PI <b>966, 969 and 977</b> , <b>H</b> Specification may be inner or outer packaging.   |  |
| • <b>A88/A99</b> – see FedEx Approval Letter   |  |
| b. <b>H</b> <b>packaging</b> : Performance rating (X or Y). [6.0.4.2 (c); 6.0.4.1 Note]  | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| • Packing Instruction <b>910</b> require 'X' Performance Rating.   |  |
| c. For <b>H</b> <b>Specification Packaging with S</b> , gross weight does not exceed the <b>H</b> Specification gross weight limit per package(s). | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| (e.g., <b>H</b> 4G/X <b>35/S</b> /26/USA/C222)   |  |

Enter actual package gross weight: \_\_\_\_\_ kg  
(Total weight of the package from airbill or package label)

Enter **H** Specification weight limit: \_\_\_\_\_ kg  
(Max weight as listed within the **H** Specification marking)

**NOTE:** For multi-piece shipment (**MPS**) complete the **Gross Weight Worksheet** on the last page of this checklist.

|  |  |
|--|--|
| d. Shipment complies with any <b>Additional Packing Requirements</b> as applicable per the Packing Instruction. (e.g., Further restricted Performance Standards, etc.) | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 25. <b>Packing Instructions</b> : 952, 965-IB, 966-II, 967, 968-IB, 969-II, 970, 977-II, 978   | <input type="checkbox"/> N/A   |

**NOTE:** **N/A** may be marked for **Overpacks** with no visible UN Specification markings.

|  |  |
|--|--|
| a. Rigid outer packaging is used as permitted by the Packing Instructions.   | <input type="checkbox"/> Y <input type="checkbox"/> N                              |
| b. Shipment complies with any <b>Additional Packing Requirements</b> as applicable per the Packing Instruction. (e.g., Further restricted Performance Standards, etc.) | <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |



# BATTERIES (SODIUM ION OR LITHIUM)

## 2026 DG Checklist

Tracking # \_\_\_\_\_

Date \_\_\_\_\_

The continued offering of non-compliant dangerous goods packages may result in the embargo of your dangerous goods shipments by FedEx.

**DIRECTIONS:** Mark the appropriate box for each item to indicate if the shipment complies with the requirement. Check all sides of the package, as applicable.

### PACKAGE MARKING AND LABELING

Marking and labels correspond to shipper's declaration and must be durably affixed.  
[7.1.3.2 (a); 7.2.1]

26. Package large enough to support all markings, labels, documentation and none are placed on the bottom of the package. FedEx branded packaging (including brown boxes) not used. [FX-06]   [Y]  [N]

27. **Shipper and Consignee name and full address** marked on package. [7.1.4.1 (b)]   [Y]  [N]

28. **UN number** preceded by prefix "UN", **meets size requirements** and corresponds to declaration. [7.1.4.1 (a); 7.1.4.4]   [Y]  [N]

**NOTE:** UN number on Battery Mark meets this requirement.

29. **Proper Shipping Name** and **corresponds to declaration**.   [Y]  [N] [7.1.4.1 (a)]

30. **Shipments with more than one package:** Net quantity marked on package. Not applicable when contents are same UN #, PSN, packing group, and quantity. [7.1.4.1 (c)]   [Y]  [N]  [N/A]

31. **Class 9 Lithium Battery or Sodium Ion Battery label on same surface and in diamond shape** as Proper Shipping Name marking when package dimensions are adequate. [7.2.3.9.1; 7.2.6.2; 7.2.6.2.5; 7.3.X]   [Y]  [N]

32. **Cargo Aircraft Only** label affixed on **same surface** of package near hazard label(s), when required.   [Y]  [N]  [N/A]

- **UN3090, UN3480, and UN3551** must be Cargo Aircraft Only. [7.2.4.2; 7.2.6.3]

33. **Markings** and **label(s)** correctly applied (not obscured or covering required markings, not folded or wrapped on more than one face of package); irrelevant or contradictory markings/labels removed or obliterated, meeting IATA specifications. [7.1; 7.2; 7.3]   [Y]  [N]

### SPECIAL PROVISION A88 OR A99

[N/A]

A88 or A99 must be indicated in the Authorization field on the Shipper's Declaration.

34. **Special Provision A88/A99:** Shipper on FedEx Express A88/A99 Approval list. [FX-05 (a)]   [Y]  [N]

35. **Competent Authority approval document(s)** attached to package and not expired. (e.g. Competent Authority [CA], DOT-SP, etc.) [A88; A99]   [Y]  [N]

36. **FedEx Approval Letter** attached to package and conditions are compliant. [FedEx Approval Letter]   [Y]  [N]

### SECTION IB LITHIUM ION OR METAL BATTERIES

[N/A]

37. "IB" or "1B" either after Packing Instruction or in Authorization. [8.1.6.9.3 Step 8]   [Y]  [N]

38. Battery Mark (Figure 7.1.C) is used. **UN number** required on the mark. [7.1.5.5]   [Y]  [N]

**NOTE:** Phone number is optional on the mark.

### ALL PACKED IN ONE

[N/A]

39. "All Packed In One" and the packaging type on declaration. [8.1.6.9.2, Step 6 (f)]   [Y]  [N]

40. When required, "**Q**" **value** (to one decimal place) shown on declaration and does not exceed 1.0. See 2.7.5.6 (e) and 5.0.2.11 (h) for exceptions. [2.7.5.6 (f, g, h); 5.0.2.11 (g); 8.1.6.9.2 (g)]   [Y]  [N]  [N/A]

### OVERPACKS

[N/A]

41. "Overpack Used" on declaration. [8.1.6.9.2, Step 7]   [Y]  [N]

42. "Overpack" marked on package(s) **unless all** marks and labels representative of all dangerous goods within the overpack are clearly visible. [7.1.7.1]   [Y]  [N]

### GENERAL

43. Complies with all other applicable **State** and **Operator variations**. [2.8]   [Y]  [N]

44. **023 air waybill:** Correct statements, as appropriate, in Handling Information box. [8.2.1; 8.2.2]   [Y]  [N]  [N/A]

If there are any discrepancies indicated, your shipment cannot be transported by FedEx.

- **Non-U.S. locations:** Please contact your local Customer Service representative or call 1.800.GoFedEx.
- **U.S. locations:** This shipment is returned to the Shipper using DOT-SP 14691. Call 1.800.GoFedEx and press "81" then "4" for assistance.

Printed or other static representations of this document are considered uncontrolled and for reference only.

**ACCEPTED**  **REJECTED**

For **ACCEPTED** shipments, ensure the automation/ASTRA label indicates the appropriate handling code (ADG, IDG, ICE). If the handling code is missing or incorrect, perform a Revenue Exception (REX) scan and relabel the shipment(s).

I have confirmed the handling code is correct.

**Inspected By:** \_\_\_\_\_

**Employee #:** \_\_\_\_\_

**Shipper Contact Name:** \_\_\_\_\_

**Shipper Contact Phone:** \_\_\_\_\_

The continued offering of non-compliant dangerous goods packages may result in the embargo of your dangerous goods shipments by FedEx.

**DIRECTIONS:** Use the table below to record the package gross weight and the UN Specification weight limit per the marking on the outer package. MPS shipments with the same gross weight and UN Specification weight limit may be grouped together on a single row. An example is provided at the end of this worksheet.

**NOTE:** To convert LBS to KG, divide LBS by 2.2.

If any of the rows are marked NO, the shipment must be rejected.

## EXAMPLE:



| Column A<br># of Pieces | Column B<br>Package Gross Weight | Column C<br>UN Specification Weight Limit | Is Column B less than Column C?       |
|-------------------------|----------------------------------|---|---------------------------------------|
| 1                       | 5 KG                             | 16 KG                                     | <input checked="" type="checkbox"/> N |