

FedEx Ship Manager[®] Server

Technical What's New Guide



Table of Contents

| 1 | Fec | FedEx OnSite9 | | |
|---|-----|---|----|--|
| | 1.1 | HAL Company Name Field | 9 | |
| | 1.2 | New Valid Value for Tag 3145 | 9 | |
| | 1.3 | Error Codes and Messages | 10 | |
| 2 | Dry | lce | 12 | |
| | 2.1 | Error code and message | 13 | |
| 3 | Loc | ose Dry Ice | 14 | |
| | 3.1 | Shipping rules | 14 | |
| | 3.2 | Impact on DG 1421C Report | 15 | |
| | 3.3 | Error codes and Messages | 15 | |
| 4 | The | ermal Label Option | 16 | |
| | 4.1 | PNG Labels | 16 | |
| | 4.2 | PDF Labels | 16 | |
| | 4.3 | Label Format Value field updates | 16 | |
| 5 | Rat | ing and Surcharges | 19 | |
| | 5.1 | Additional Rating and Surcharge updates | 23 | |
| 6 | Me | xico State Codes | 24 | |
| 7 | Fec | Ex International Controlled Export | 26 | |
| | 7.1 | FICE Entry Number Field | 26 | |
| | 7.2 | New Fields added | 27 | |
| | 7.3 | Error Codes and Messages | 32 | |
| | 7.4 | Doc-Tab updates | 32 | |
| 8 | Ana | alytics | | |
| 9 | Ind | ex | | |

List of Tables

| Table 1: HAL Company Name Field | 9 |
|---|----|
| Table 2: HAL Location Type Field | 10 |
| Table 3: HAL Error Codes | 10 |
| Table 4: Dry Ice Flag and Dry Ice Weight Flag | 12 |
| Table 5: Dry Ice Error Code | 13 |
| Table 6: Loose Dry Ice Field | 14 |
| Table 7: Loose Dry Ice Error codes | 15 |
| Table 8: Tag 187 with new valid values | 17 |
| Table 9: Tags 6110, 6217 and 1990 | 19 |
| Table 10: Mexico State Codes | 24 |
| Table 11: FICE fields | 27 |
| Table 12: FICE Error Codes and Messages | 32 |

List of Figures

| Figure 1: FICE fields in Doc-Tab Settings | |
|---|--|
| 5 | |
| | |
| Figure 2: Advanced Setting screen with Analytics checkbox | |

Legal and Copyright Notices

Confidential and Proprietary

The information contained in this guide is confidential and proprietary to FedEx Corporate Services, Inc. and its affiliates (collectively "FedEx"). No part of this guide may be distributed or disclosed in any form to any third party without written permission of FedEx. This guide is provided to you and its use is subject to the terms and conditions of the FedEx Automation Agreement. The information in this document may be changed at any time without notice. Any conflict between this guide, the FedEx Automation Agreement and the *FedEx Service Guide* will be governed by the FedEx Automation Agreement and the *FedEx Service Guide*, in that order.

© 2017–2018 FedEx. FedEx and the FedEx logo are registered service marks. All rights reserved.

Payment

You must remit payment in accordance with the *FedEx Service Guide*, tariff, service agreement or other terms or instructions provided to you by FedEx from time to time. You may not withhold payment on any shipments because of equipment failure or for the failure of FedEx to repair or replace any equipment.

Inaccurate Invoices

If you generate an inaccurate invoice, FedEx may bill or refund to you the difference according to the *FedEx Service Guide*, tariff service agreement or other terms or instructions provided to you by FedEx from time to time. A request for refund on a FedEx shipment must be made in accordance with the applicable Service Guide or terms or instructions provided by FedEx from time to time. A shipment given to FedEx with incorrect information is not eligible for refund under any FedEx money-back guarantee. FedEx may suspend any applicable money-back guarantee in the event of equipment failure or if it becomes inoperative.

Disclaimer

All Improper Transaction scenarios are for example only. They do not reflect all error condition scenarios.

About This Document

The *FedEx Ship Manager*[®] Server Technical What's New Guide provides technical information about features in this release. It contains descriptions of new features, transactions and transaction fields that make up the new functionality and enhancements included in the software since the v 17.0.1 release.

This document is *not* intended for use as a coding reference or as a detailed technical specification of the new features. Details for all features described in this document are included in the *FedEx Ship Manager*[®] Server *Transaction Coding Reference Guide* and the *FedEx Ship Manager*[®] Server Developer Guide.

Note: This document lists the data elements for this release of the FedEx Ship Manager[®] Server.

Audience

This document is intended for the following audiences.

- Shipper managers, users, or developers interested in obtaining FedEx Ship Manager[®] Server
- Customer managers, users, or developers using FedEx Ship Manager[®] Server for the first time
- Customer managers, users, or developers already using FedEx Ship Manager[®] Server wanting to learn about the new and enhanced features in this release
- Managers, users, or developers of third-party development organizations

Conventions

This guide uses the following conventions in the text.

| Indicator | Description |
|---|--|
| Courier New | Sample transaction code is formatted in Courier New. |
| Note Important notices begin with the word "Note." | |
| BoldIn task instructions, software user interface elements, or information y enter in a field or transaction, are formatted in bold. | |
| italics | Names of documents and FSMS transactions are shown in italics. For instance, the 020/120 Global Ship Request/Reply. |
| nancs | First occurrence of a term is italicized followed by a definition. For instance <i>EEI filing</i> (Electronic Export Information). |
| purple Cross-references are in purple. | |

Resources

- FedEx Ship Manager® Server Installation and Configuration Guide
- FedEx Ship Manager® Server Developer Guide
- FedEx Ship Manager® Server Technical What's New Guide
- FedEx Ship Manager[®] Server Technical What's new previous versions are at <u>v17.0.1</u>, <u>v16.0.1</u>, <u>v15.0.1</u>, <u>v14.0.1</u>, <u>v13.0.1</u>, <u>v12.0.1</u>, <u>v11.0.1</u>, <u>v10.6.1</u>
- FedEx Ship Manager® Server Transaction Coding Reference Guide
- FedEx Service Guide: fedex.com/us/service-guide
- FedEx Services At-a-Glance: fedex.com/us/services/ataglance.html
- FedEx Developer Resource Center: fedex.com/developer

| Support Type | Access | Prompt | Support Topics | Hours |
|-------------------------------|----------------|---|---|--|
| Web | FedEx.com | NA | NA | NA |
| FedEx Technical Support | 1.877.339.2774 | FedEx Ship Manager Server | fedex.com FedEx Ship Manager FedEx Web Services More options | Monday to Friday CST 7 a.m. – 9 p.m. Saturday CST 9 a.m. – 3 p.m. |
| FedEx Customer Service | 1.800.463.3339 | In a few words, please say what you are calling about. | Schedule a pick-up I need shipping rates Track a package Find a FedEx location More options | 24 hours a day, 7 days a week |
| FedEx Dangerous Goods | 1.800.463.3339 | say Dangerous Goods or type 81 on phone keypad | Schedule a dangerous goods or HazMat pick-up, ship alcohol or firearms, get rates or order supplies | Monday to Friday CST 7 a.m. – 7 p.m. |
| | | Note: 81 is the IVR option for Dangerous Goods for the support number 1.800.463.3339 | Technical Support International Dangerous Goods questions Speak with a Dangerous Goods Representative | Saturday CST 10 a.m. – 2 p.m. |

Support

FedEx Ship Manager[®] Server software is free. Contact a FedEx support representative if you wish to expand your current FSMS installation or want additional information.

If you have questions or need technical assistance:

- United States and Canada: call 1.877.339.2774. Support hours are 7 a.m. to 9 p.m. CT Monday through Friday and 9 a.m. to 3 p.m. CT Saturday
- Europe: email techsupport emea@fedex.com
- The Indian Subcontinent, the Middle East and Africa: email meisatechsupport@fedex.com
- Asia-Pacific: email <u>fdxhelpdesk@fedex.com</u>
- Brazil: email ct-brazil@corp.ds.fedex.com
- The rest of Latin America and the Caribbean: <u>click here</u> for your country's dedicated support phone number

FedEx Service Guide

Within this guide, you may be asked to refer to the *FedEx Service Guide* for details about FedEx services, packaging, and other information. To view or download the U.S. guide, go to **fedex.com/us/service-guide** and click the **'View the FedEx Service Guide PDF'** option in the gray box on the left.

FedEx Electronic Export Information Filing Options (United States only)

If you are a U.S. shipper and your U.S. export shipments require EEI filing (Electronic Export Information, formerly known as Shipper's Export Declaration, SED) go to http://www.fedex.com/us/electronic-export-information/filing.html for more information.

1 FedEx OnSite

Ability to choose FedEx OnSite Locations provides customers the convenience of package drop-off and pickup at locations that are not owned by FedEx with extended hours and secured package storage.

1.1 HAL Company Name Field

The new field for Hold At Location service is explained in the following table.

Table 1: HAL Company Name Field

| Field ID | Field Name | Update | Affected Transaction |
|-------------|--|---------------|---|
| 3155 | HAL Company Name | New field | 020/120 Global Shipping Transaction and 037/137 Email Label Transaction |
| | Description | | |
| | This field is used to indicate the Company Name at which the package is being held. Thi HAL Company Name will be printed on the shipping label if it was provided. | | |
| | Type: A/N Minimum Length: NA Maximum Length: 35 | | |
| | Multiple Occurrence: N | Input/Output: | Carrier: FDXE, FDXG |
| | Valid Values (if applicable | or NA): NA | |
| | Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Optional in Global Shipping Transaction and 037/137 Email Label Transaction | | |
| | | | |
| | Shipment vs. Piece vs. Commodity Level: Shipment | | |
| | | | |

1.2 New Valid Value for Tag 3145

FedEx Ship Manager Server will modify existing tag 3145 (HAL Location Type) to support the new value: **S - FedEx Onsite**. The details for tag 3145 is explained in the following table

Table 2: HAL Location Type Field

| Field ID | Field Name | Update | Affected Transactions |
|--|---|---|---|
| 3145 | HAL Location Type | Field updated with new valid value "S – FedEx Onsite" | 020/120 Global Shipping Transaction and 037/137 Email Label Transaction |
| | Description This field indicates the type of location at which the package is held. | | ge is held. |
| | Туре: А | Minimum Length: NA | Maximum Length: 1 |
| | Multiple Occurrence: N | Input/Output: Both | Carrier: FDXE, FDXG |
| Valid Values (if applicable or NA): O – FedEx Office E – FedEx Express S – FedEx Onsite Default Value (if applicable or NA): NA Optionality (Required, Optional, Conditional – state why or NA): Optional Shipment vs. Piece vs. Commodity Level: Shipment | | | hy or NA): Optional |

1.3 Error Codes and Messages

Table 3: HAL Error Codes

| Error Code | Error Messages | |
|------------|--|--|
| 0890 | The LOCID provided does not match the location type. | |
| 0891 | Dangerous Goods are not allowed for this location type. | |
| 0892 | Dry Ice is not allowed for this location type. | |
| 0893 | COD is not allowed for this location type. | |
| 0894 | The selected service is not supported at this location type. | |
| 0895 | Weight entered exceeds the maximum per package amount allowed for this location type. | |
| 0896 | Dimensions entered exceed the maximum per package amount allowed for this location type. | |
| 0897 | The LOCID provided is not valid for the location type. | |

| Error Code | Error Messages | |
|------------|--|--|
| 0898 | The HAL Location ID is required for this location type. | |
| 0899 | HAL Company or Recipient Name is required for this location type | |
| 0900 | HAL Address cannot be blank for this location type. | |
| 0901 | HAL City cannot be blank for this location type. | |
| 0902 | HAL state/province cannot be blank for this location type. | |
| 0903 | HAL Postal Code cannot be blank for this location type | |
| 0904 | Hold at Location country must match Recipient country. | |

2 Dry Ice

The existing functionality of shipping dry ice is changed from Shipment Level to Package Level (except for MAWB) to support international and Non-US domestic shipments as well.

FedEx Ship Manager Server supports the use of multi-occurrence for the Dry Ice Flag (1268) and Dry Ice Weight (1684) for all international and non us domestic, including print returns, Express multiple piece shipment.

| Table 4: Dry | v Ice Flag and Dr | y Ice Weight Flag |
|--------------|---------------------|-------------------|
| 10010 11 01 | , 100 1 109 0110 21 | , |

| Field ID | Field Name | Update | Affected Transaction |
|-------------|---|--|---|
| 1268 | Dry Ice Flag | Field updated with Multiple Occurrence as Y | 020/120 Global Shipping Transaction and 037/137 Email Label Transaction |
| | Description Dry Ice Flag indicates whether the shipment contains dry ice. | | |
| | Туре: А | Minimum Length: NA | Maximum Length: 1 |
| | Multiple Occurrence: Y | Input/Output: | Carrier: FDXE, FDXG |
| | Valid Values (if applicable or NA): Y-Shipment contains dry ice N-Shipment does not contain dry ice Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Required* if the shipment contains Dry Ice. Shipment vs. Piece vs. Commodity Level: Package | | |
| Field ID | Field Name Update Affected Transaction | | |
| 1684 | Dry Ice Weight | Field updated with Multiple Occurrence as Y | 020/120 Global Shipping Transaction and 037/137 Email Label Transaction |
| | Description | | |
| | • Indicates the weight of the dry ice that needs to be shipped. | | |
| | Enter the dry ice weight in KGS. | | |
| | Two implied decimal place | ces. | |
| | Type: N | Minimum Length: NA | Maximum Length: 10.2 |

| Field ID | Field Name | Update | Affected Transaction |
|-------------|---|--------|----------------------|
| | Multiple Occurrence: Y Input/Output: I Carrier: FDXE, FDXG | | |
| | Valid Values (if applicable or NA): NA Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Required* If the tag 1268 is set to "Y". | | |
| | Shipment vs. Piece vs. Commodity Level: Package | | |

2.1 Error code and message

Table 5: Dry Ice Error Code

| Error Code | Error Message |
|------------|---|
| 0854 | Package dry ice weight cannot be greater than or equal to package weight. |

3 Loose Dry Ice

FedEx Ship Manager Server allows you to use the loose dry ice as a coolant in an overpack. When Dangerous Goods (DG) shipments are surrounded with loose dry ice in an overpack, it is accurately reflected in the DG Shipper's Declaration.

Table 6: Loose Dry Ice Field

| Field ID | Field Name | Update | Affected Transaction | | | |
|-------------|--|------------------------------|--|--|--|--|
| 7820 | Loose Dry Ice | New field | 020/120 Global Shipping Transaction | | | |
| | Description | | | | | |
| | Loose Dry Ice field indication one shipment contains Ice | | Goods overpack or all packed in | | | |
| | • This field can be used wi | ith UN ID#1845 via express f | ull IATA entry mode. | | | |
| | Туре: А | Minimum Length: NA | Maximum Length: 1 | | | |
| | Multiple Occurrence: Y | Input/Output: I/O | Carrier: FDXE | | | |
| | Valid Values (if applicable or NA): | | | | | |
| | Y - Contains loose dry ice | | | | | |
| | N - Does not contain loos | se dry ice | | | | |
| | Default Value (if applicable or NA): None | | | | | |
| | Optionality (Required, Opti Global Shipping Transaction | | hy or NA): Optional in the 020/120 | | | |
| | Shipment vs. Piece vs. Cor | mmodity Level: Commodity | | | | |

3.1 Shipping rules

- You can create a full IATA Express Dangerous Goods Overpack or All Packed in One shipment with UN ID#1845 and designate that the shipment contains loose dry ice via tag# 7820 (Loose Dry Ice Flag).
- You can create a full IATA Express Dangerous Goods Overpack or All Packed in One shipment that contains UN ID#1845 as Loose Dry Ice without a packaging type and UN ID 1845 as Dry Ice with a packaging type.
- You can create a full IATA Express Dangerous Goods Overpack or All Packed in One shipment that contains both UN ID#1845 as Loose Dry Ice via tag#7820 (Loose Dry Ice) set to "Y" and the special service option of Dry Ice via tag#1268 (Dry Ice Flag) set to "Y".

3.2 Impact on DG 1421C Report

- For an Express Dangerous Goods Overpack shipment that has indicated Loose Dry Ice via new tag#7820 and UN ID#1845 via Full IATA Entry mode, the packaging type will not be printed on the Shipper's Declaration.
- For a single Overpacked Express DG IATA shipment, the tracking number will not be printed to the right of the "Overpacked Used" verbiage on the DG Shipper's declaration.
- For an Overpacked or All Packed in One Express DG IATA shipment, the DG Shipper's Declaration will not be printed when the only UN ID present is 1845 and it has been identified as "Loose Dry Ice" via new tag#7820.
- The "Total" statement that contains the total DG weight calculation will not be printed on the DG Shipper's Declaration if there are only 2 commodities in an Overpack and one of the commodities have been identified as Loose Dry Ice via new tag#7820 and UN ID 1845.

3.3 Error codes and Messages

Table 7: Loose Dry Ice Error codes

| Error Code | Error Messages |
|------------|---|
| 3179 | The Dangerous Goods Packing Type is not required for UN ID 1845 when it has been identified as Loose Dry Ice via tag 7820. Please remove. |
| 3180 | The Dangerous Goods Loose Dry Ice Indicator is not supported for this shipment |

4 Thermal Label Option

FedEx Ship Manager Server expands its support to include additional PDF 4x6 label print option as explained below.

4.1 PNG Labels

FedEx Ship Manager Server provides PNG (Portable Network Graphics) for FedEx Express and FedEx Ground labels by passing a new value of PNG (67L) in Field 187 (Label Format Value). This image is by default saved to the C:\FedEx\FedEx_Temp directory.

• 67L = 4"x6.75" PNG

4.2 PDF Labels

FedEx Ship Manager Server provides Portable Document Format (PDF) label images for FedEx Express and FedEx Ground labels when you specify a value of PDF in Field 187 (Label Format Value). This produces an image of a laser label. Images of thermal labels are captured by setting Field 187 to the appropriate thermal label size desired:

- PDF—Portable Document Format 4"x6 Label Image with Instructions, for 8 1/2" x 11" stock
- 46P-4" x 6" PDF Label Image with white space, for 8 1/2" x 11" stock
- 46T = 4"x6" PDF Label Image, for 4"x6" stock
- 67P = 4"x6.75" PDF Label Image, for 4"x6.75" stock
- 48P—4" x 8" PDF Label Image with white space, for 8 ¹/₂" x 11" stock
- 48T = 4"x8" PDF Label Image, for 4"x8" stock
- 49P—4" x 9" PDF Label Image with white space, for 8 1/2" x 11" stock
- 49T = 4"x9" PDF Label Image, for 4"x9" stock
- 4QP-3.5" x 5" PDF

These images are saved in the C:\FedEx\FedEx_Temp directory (as the default location).

4.3 Label Format Value field updates

The Label Format Value/Printer Type Indicator Tag 187 value is updated to add the following Label Print Option:

- 46T = PDF 4"x6" Label Image, for 4x6 stock
- 67P = PDF 4"x6.75" Label Image, for 4x6.75 stock
- 67L = 4"x6.75" PNG
- 49T = PDF 4"x9" Label Image, for 4x9 stock
- 48T = PDF 4"x8" Label Image, for 4x8 stock

The verbiage of following current values for Tag 187 is updated as seen in table 8.

- PDF = PDF 4"x6" Label Image with Instructions, for 8 1/2" x 11" stock
- 46P = PDF 4"x6" Label Image with white space, for 8 ½" x 11" stock

- 49P = PDF 4"x9" Label Image with white space, for 8 ¹/₂" x 11" stock
- 48P = PDF 4"x8" Label Image with white space, for 8 ½" x 11" stock

Table 8: Tag 187 with new valid values

| Field ID | Field Name | Update | | Affected Transaction | |
|-------------|---|-------------------------------------|---|--|--|
| 187 | Label Format Value/Printer Type Indicator | Field updated with new valid values | | 020/120 Global Shipping Transaction | |
| | s you to enter the value that to save. Each label format / printer el), F (Thermal label buffer to Buffer String). | | | | |
| | Туре: А | Minimι NA | Im Length: | Maximum Length: 3 | |
| | Multiple Occurrence: N | Input/C | Output: | Carrier: FDXE, FDXG, FDXS | |
| | Valid Values (if applicable or NA): | | | | |
| | 199 -Eltron LP2348/ LP2443 4 Tab | 1 x 6 Doc 188-Zebra DA | | 402 4 x 6 Doc Tab | |
| | 388 –Zebra 4 x 8 | 488 –Zebra 4 : | | | |
| | 299 -Eltron LP2348/ LP2443 4 Doc Tab | x 6 Non | | 402 4 x 6 Non Doc Tab | |
| | 399–Eltron/Zebra EPL 4 x 8 | | 499 –Eltron/Zebra EPL 4 x 9 46L -4 x 6 PNG | | |
| | PNG–Portable Network Graphics 48L- 4x8 PNG | | 49L - 4x9 PNG | | |
| | 40L - 4x8 PNG 4QL -3.5x5 PNG | | 67L-4x6.75 PNG | | |
| | CLS-Deferred Label | | DIB-Laser Labels | | |
| | 46D - 4x6 DIB | | 48D - 4x8 DIB | | |
| | 49D - 4x9 DIB | | 4QD-3.5x5 DI | В | |

| Field ID | Field Name | Update | | Affected Transaction | | |
|-------------|--|-----------|---|--|--|--|
| | PDF -4x6 PDF Label Ima Instructions for 8 ½ x 11 stock | ge with | 46P - 4x6 PDI space for 8 ¹ / ₂ | F Label Image with white x 11 stock | | |
| | 46T- 4x6 PDF Label Image for 4 | x6 stock | 48T-4x8 PDF Label Image for 4x8 stock | | | |
| | 49T - 4x9 PDF Label Image for 4x9 stock | | 48P - 4x8 PDF Label Image with white space, for 8 ½ x 11 stock | | | |
| | 49P - 4x9 PDF Label Image with white space for 8 ¹ / ₂ x 11 stock | | 4QP-3.5x5 PD | F | | |
| | 67P- 4x6.75 PDF Label Image for stock | or 4x6.75 | | | | |
| | Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Required Shipment vs. Piece vs. Commodity Level: Shipment | | | | | |

5 Rating and Surcharges

FedEx Ship Manager Server updates Tag 6110 - LTL Special Services to support the following changes:

- Tag length is increased to 20 positions
- Position 15 Extreme Length (12 feet or greater in length) is updated.
- Position 20 Over Length (8 feet to < 12 feet in length) is added.

Tag 6217 - LTL Surcharge Type is updated with Over Length value.

FedEx Ship Manager Server also updates Tag 1990 - Special Service Accessorial Name to support the following changes:

- Oversize/Extreme Length is changed to Extreme Length
- Over Length is added as a valid value

Table 9: Tags 6110, 6217 and 1990

| Field ID | Field Name | Update | | Affected Transact | ion | | |
|-------------|---|---|---------------------|------------------------------|----------------|--|--|
| 6110 | LTL Special Services | Field updated with new tag length and valid values | | 060/160 Freight C Request | reate BOL | | |
| | Description | | | | | | |
| | LTL Special Services fie service requested. | ld is a twent | y-byte flag that in | dicates the specific F | edEx special | | |
| | Use Y in the appropriate other positions. | position to | indicate which se | rvice you require. Spe | ecify N in all | | |
| | For example, NNNNNN service. | NYNNNNNNNNNNNN indicates a request for Residential Pickup | | | | | |
| | Туре: А | Minimum | n Length: NA | Maximum Length | : 20 | | |
| | Multiple Occurrence: N | Input/Ou | tput: I | Carrier: FDXE, FX | FR | | |
| | Valid Values (if applicable | or NA): | | | | | |
| | 1 — Call Before Delivery | | 11 — Lift Gate | Required | | | |
| | 2 — Freezable Protection | | 12 — Residen | tial Delivery | | | |
| | 3 — Limited Access Picku | р | 13 — Do not b | reak down pallet | | | |
| | 4 — Limited Access Delivery 14 — Top Load Only | | | | | | |
| | 5 — Guaranteed Plus | 15 — Extreme length | | | | | |
| | 6 — Poison | 16 — Liftgate at delivery | | | | | |
| | 7 — Residential Pickup | | 17 — Liftgate a | at pickup | | | |

Rating and Surcharges

| Field ID | Field Name | Update | | Affected Transaction | | |
|-------------|---|---|-----------------------------|---------------------------------------|--|--|
| | 8 — Food | 8 — Food 18 — Inside de | | elivery | | |
| | 9 — Single Shipment | | 19 — Inside pi | ckup | | |
| | 10 — Do Not Stack Pallets | S | 20 — Over Le | ngth | | |
| | Optionality (Required, Opti | Value (if applicable or NA): None ality (Required, Optional, Conditional – state why or NA): Required ant vs. Piece vs. Commodity Level: Shipment | | | | |
| Field ID | Field Name | Update | | Affected Transaction | | |
| 6217 | LTL Surcharge Type | Field upd valid valu | ated with new e | 060/160 Freight Create BOL Request | | |
| | Description LTL Surcharge Type field inc | licates the L | TL Surcharge Ty | pe. | | |
| | Type: A/N | Minimum Length: 1 | | Maximum Length: 30 | | |
| | Multiple Occurrence: Y | Input/Ou | put/Output: I Carrier: FXFR | | | |
| | Valid Values (if applicable 140 — Residential Deliver 460 — Inside Pickup 470 — Inside Delivery 800 — Other 805 — Residential Pickut 810 — Chargeable Pallet 815 — Excess Value 820 — Extreme Length 825 — Freight Guarantet 830 — LiftGate Delivery 840 — Limited Access D | ery p t Weight e Pelivery | | | | |
| | 845 — Limited Access P 850 — Pre Delivery Noti | • | | | | |
| | 855 — Protection From I | | | | | |

| Field ID | Field Name | Update | | Affected Transaction | on | |
|-------------|---|---|-----------------------|--|----|--|
| | 860 — Over Length Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Required Shipment vs. Piece vs. Commodity Level: Shipment | | | | | |
| Field ID | Field Name | Update | | Affected Transaction | on | |
| 1990 | Special Service Accessorial Name | Field up valid val | dated with new ues | 050/150 Service Ty Special Services T | | |
| | option names. It is sent in re | al Name field specifies the returned FedEx special service and reply with a new value to indicate Electronic Trade Documents s available when request contains Field 1989 set to value of 02. | | | | |
| | Туре: А | Minimu | m Length: NA | Maximum Length: | 30 | |
| | Multiple Occurrence: Y | Input/O | utput: O | Carrier: All | | |
| | Valid Values (if applicable | or NA): | | | | |
| | US Special Service Acce | ssorial Na | me Values | | | |
| | Alcohol | | Freight To Colle | ect | | |
| | Inside Pickup and Delivery | 1 | Hazardous Mat | erials | | |
| | FedEx Appointment Home | Delivery | Liftgate at Deliv | ery | | |
| | FedEx Collect on Delivery | (C.O.D.) | Liftgate at Picku | qu | | |
| | FedEx Date Certain Home | Delivery | Limited Access | Delivery | | |
| | FedEx Evening Home Deli | very | Extreme Length | 1 | | |
| | FedEx Ground C.O.D. | | Pharmacy Delivery | | | |
| | FedEx Returns Shipper's Export Declaration/Electronic Export Information (EEI) | | | | | |
| | Freight on Value Carrier R | Freight on Value Carrier Risk Sunday Delivery | | | | |
| | Freight on Value Own Risk | ζ | Over Length | | | |
| | International Special Ser | vice Acce | ssorial Name Valu | les | | |
| | Call Before Delivery | | Future Day | | | |

| ield) | Field Name | Update | | Affected Transactio | |
|-----------|---|----------------------------|---------------------------------------|---------------------|--|
| | Dangerous Goods (DG) Ser | rvice | Hold at Location | n Service (HAL) | |
| | Do Not Stack Pallets | | International Tra Regulations (IT/ | | |
| | Do Not Break Down Pallet | | Lithium Batterie | s/Cells | |
| | Dry Ice | | Poison | | |
| | Electronic Trade Documents | s (ETD) | Priority Alert | | |
| | Exclude from Consolidation | | Priority Alert Plu | IS | |
| | FedEx InSight | | Residential Deli | very | |
| | FedEx International Broker (BSO) | Select | Residential Pick | kup | |
| | FedEx International Control Export | led | Returns Clearance | | |
| | FedEx ShipAlert (Email ID) | FedEx ShipAlert (Email ID) | | Saturday Service | |
| | FedEx Signature Home Del | ivery | Signature Release | | |
| | Food | | Special Delivery | | |
| | Freezable Protection | | Surcharges | | |
| | Fully Regulated Dangerous (FDG) | Goods | Top Load Only | | |
| | Signature Service Options | 5 | | | |
| | 0 — None Specified | | 3 — Direct Sign | ature Required | |
| | 1 — No Signature Required | | 4 — Adult Signa | ature Required | |
| | 2 — Indirect Signature Requ | uired | | | |
| | Default Value (if applicable | or NA): No | one | | |
| | Optionality (Required, Optional, Conditional – state why or NA): Optional Shipment vs. Piece vs. Commodity Level: Shipment | | | | |

5.1 Additional Rating and Surcharge updates

Additional Handling Surcharge (AHS) from 60" to 48" along its longest side

Change the dimensional criteria for the FXE (US Domestic, US-PR and Trans-Border & US Export) Additional Handling Surcharge (AHS) from 60" to 48" along its longest side.

• Oversize Surcharge from 108" to 96" along its longest side

Change the dimensional criteria for the FXE (US Domestic, US-PR and Trans-Border) Oversize Surcharge from 108" to 96" along its longest side.

Oversize Surcharge of 96" along its longest side

Add the dimensional criteria for the FXG (US&CA) Oversize Surcharge of 96" along its longest side.

• 90lb Minimum Billable Weight for Oversize packages

Apply a 90lb Minimum Billable Weight for Oversize packages (FXE US Domestic, US-PR and Trans-Border & FXG) or unauthorized packages (FXG).

Dimensional weight rating logic for all SmartPost

Introduce the dimensional weight rating logic for all SmartPost packages.

Dimensional criteria for the SmartPost non-machinable surcharge

Change the dimensional criteria for the SmartPost non-machinable surcharge (NMO) from 34" to 27" along its longest side.

6 Mexico State Codes

All Mexico state codes are updated in FedEx Ship Manager Server and the updated list is as follows.

Table 10: Mexico State Codes

| State | State Code |
|---------------------|------------|
| Aguascalientes | AG |
| Baja California | BC |
| Baja California Sur | BS |
| Campeche | СМ |
| Chiapas | CS |
| Chihuahua | СН |
| Coahuila | CO |
| Colima | CL |
| Ciudad de México | DF |
| Durango | DG |
| Guanajuato | GT |
| Guerrero | GR |
| Hidalgo | HG |
| Jalisco | JA |
| Estado de México | EM |
| Michoacán | MI |
| Morelos | MO |
| Nayarit | NA |
| Nuevo León | NL |
| Oaxaca | OA |
| Puebla | PU |
| Querétaro | QE |
| Quintana Roo | QR |
| San Luis Potosí | SL |
| Sinaloa | SI |
| Sonora | SO |

| State | State Code |
|------------|------------|
| Tabasco | ТВ |
| Tamaulipas | ТМ |
| Tlaxcala | TL |
| Veracruz | VE |
| Yucatán | YU |
| Zacatecas | ZA |

7 FedEx International Controlled Export

FedEx International Controlled Export (FICE) special service is only supported for exports originating from United States and Puerto Rico.

FICE is available for the following services:

- FedEx International Priority®
- FedEx International Priority® Freight
- FedEx International Priority DirectDistribution[®] (for foreign trade zone or bonded warehouse shipments only)

7.1 FICE Entry Number Field

The name of tag 1399 is changed to FICE Entry Number and the details are mentioned in the below table.

| Field ID | Field Name | Update | Affected Transaction | | | | |
|-------------|--|---|--|--|--|--|--|
| 1399 | FICE Entry Number | Field name is changed to FICE Entry Number | 020/120 Global Shipping Request/Reply | | | | |
| | Description FICE Entry Number field provides the FedEx International Controlled Export (FICE) Entry Number. This field is only required for shipment designated as an in-bond shipments moving under a transportation and exportation from a foreign trade zone or bonded warehouse. | | | | | | |
| | Type: N Minimum Length: NA Maximum Length: | | | | | | |
| | Multiple Occurrence: N Input/Output: Both Carrier: FDXE (for US and Puerto Rico origins) | | | | | | |
| | Valid Values (if applicable or NA): NA Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Required field when tag 1495 is a value of 114 & 115. | | | | | | |
| | Shipment vs. Piece vs. Commodity Level: Shipment | | | | | | |

7.2 New Fields added

The following table lists the fields including surcharge tags for FedEx International Controlled Export (FICE) service.

Table 11: FICE fields

| Field ID | Field Name | Update | Affected Transaction | | | | |
|-------------|---|---|---|--|--|--|--|
| 1494 | FedEx International Controlled Export Flag | New Field | 020/120 Global Shipping Request/Reply | | | | |
| | Description FedEx International Controlled Export Flag field enables you to select the FedEx Internati Controlled Export (FICE) service option for a shipment. The service is only available for Express International Priority, International Priority Freight and IPD shipment originating f US or Puerto Rico Export. | | | | | | |
| | Туре : А | Minimum Length: NA | Maximum Length: 1 | | | | |
| | Multiple Occurrence: N Input/Output: Both Carrier: FDXE (for US and Puerto Rico origins) | | | | | | |
| | Valid Values (if applicable or NA): Y = Yes N = No Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Optional in the 020/120 Global Shipping Transaction. If "Y" then additional fields are required Shipment vs. Piece vs. Commodity Level: Shipment | | | | | | |
| Field ID | Field Name | Update | Affected Transaction | | | | |
| 1495 | FICE License Type Code | New Field | 020/120 Global Shipping Request/Reply | | | | |
| | | Description FICE License Type Code field designates FICE License type. Depending on the indicated license type, additional FICE fields will be required. | | | | | |
| | Type: N | Minimum Length: NA | Maximum Length: 3 | | | | |
| | Multiple Occurrence: N | Input/Output: Both | Carrier: FDXE (for US and Puerto Rico origins) | | | | |

| Field ID | Field Name | Update | Affected Transaction | | | | | |
|-------------|--|--------------------|--|--|--|--|--|--|
| | Valid Values (if applicable or NA): | | | | | | | |
| | • 101 = DSP-5 | | | | | | | |
| | • 102 = DSP-61 | | | | | | | |
| | • 103 = DSP-73 | | | | | | | |
| | • 104 = DSP-85 | | | | | | | |
| | • 105 = DSP-94 | | | | | | | |
| | • 106 = License Agreemer | nt | | | | | | |
| | • 107 = DEA 36 | | | | | | | |
| | • 108 = DEA 236 | | | | | | | |
| | • 109 = DEA 486 | | | | | | | |
| | • 114 = Warehouse Withdrawal for T&E | | | | | | | |
| | • 115 = T & E from a Foreign Trade Zone | | | | | | | |
| | Note: Values 110 - 113 are reserved for future use and are not a supported License Type at this time. | | | | | | | |
| | Default Value (if applicable or NA): None | | | | | | | |
| | Optionality (Required, Optional, Conditional – state why or NA): Required if Tag 1494 is set to "Y" then additional FICE fields will be required. | | | | | | | |
| | Shipment vs. Piece vs. Commodity Level: Shipment | | | | | | | |
| Field ID | Field Name | Update | Affected Transaction | | | | | |
| 1496 | FICE License Number | New Field | 020/120 Global Shipping Request/Reply | | | | | |
| | Description | | | | | | | |
| | FICE License Number field provides the FedEx International Controlled Export (FICE) License Number. This is required for goods moving under a U.S. State Department (DSP) license or U.S. Drug Enforcement (DEA) export permits. | | | | | | | |
| | Type: Alpha Numeric | Minimum Length: NA | Maximum Length: 12 | | | | | |
| | Multiple Occurrence: N Input/Output: Both Carrier: FDXE (for US and Puerto Rico origins) | | | | | | | |

| Field ID | Field Name | Update | Affected Transaction | | | | |
|-------------|--|--|--|--|--|--|--|
| | Valid Values (if applicable or NA): NA Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Required field when tag 1495 is a value of 101 - 109. Shipment vs. Piece vs. Commodity Level: Shipment | | | | | | |
| Field ID | Field Name Update Affected Transaction | | | | | | |
| 1497 | FICE License Expiration Date | 020/120 Global Shipping Request/Reply | | | | | |
| | Description FICE License Expiration Date field provides the FedEx International Controlled Export (FICE) License Expiration Date and must be greater than or equal to the current date but Less than 48 months (4 years) in the future. The format of this date is MMDDCCYY. This is required for goods moving under a U.S. State Department (DSP) license or U.S. Drug Enforcement (DEA) export permits. | | | | | | |
| | Type: NMinimum Length: NAMaximum Length: 8Multiple Occurrence: NInput/Output: BothCarrier: FDXE (for US and Puerto Rico origins) | | | | | | |
| | | | | | | | |
| | Valid Values (if applicable or NA): NA Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Required field when 1495 is a value of 101 - 109. Shipment vs. Piece vs. Commodity Level: Shipment | | | | | | |
| Field ID | Field Name Update Affected Transaction | | | | | | |
| 1506 | Foreign Trade Zone Code | New Field | 020/120 Global Shipping Request/Reply | | | | |
| | Description Foreign Trade Zone Code field provides the Foreign Trade Zone Code. This field is only required for shipment designated as an in-bond shipments moving u a transportation and exportation from a foreign trade zone or bonded warehouse. | | | | | | |

| Field ID | Field Name | Update | Affected Transaction | | |
|-------------|---|---|---|--|--|
| | Type: Alpha Numeric | Minimum Length: NA | Maximum Length: 12 | | |
| | Multiple Occurrence: N | Input/Output: Both | Carrier: FDXE (for US and Puerto Rico origins) | | |
| | Valid Values (if applicable or NA): NA Default Value (if applicable or NA): None Optionality (Required, Optional, Conditional – state why or NA): Required field when tag 1495 is a value of 114 & 115. Shipment vs. Piece vs. Commodity Level: Shipment | | | | |
| Field ID | Field Name | Update | Affected Transaction | | |
| 1527 | FICE Surcharge | Field name is changed to FICE Entry NUmber | 025/125 Rate Available Services Request/Reply | | |
| | lled Export (FICE) surcharge for | | | | |
| | Type: N Minimum Length: NA Maximum Length: The second sec | | | | |
| | Multiple Occurrence: N Input/Output: Output: Output Carrier: FDXE Puerto Rico original Puerto Rico original Puerto Rico original | | | | |
| | Valid Values (if applicable or NA): NA Default Value (if applicable or NA): NA Optionality (Required, Optional, Conditional – state why or NA): NA Shipment vs. Piece vs. Commodity Level: Shipment | | | | |
| Field ID | Field Name | Update | Affected Transaction | | |
| 1860 | FICE List Surcharge | New Field | 025/125 Rate Available Services Request/Reply | | |
| | Description FICE List Surcharge field is used to provide the FedEx International Controlled Expo list surcharge for shipment. | | | | |
| | Type: N | Minimum Length: NA | Maximum Length: 18 | | |

| Field ID | Field Name | Update | Affected Transaction | | |
|-------------|--|----------------------|---|--|--|
| | Multiple Occurrence: N | Input/Output: Output | Carrier: FDXE (for US and Puerto Rico origins) | | |
| | Valid Values (if applicable or NA): NA Default Value (if applicable or NA): NA Optionality (Required, Optional, Conditional – state why or NA): NA Shipment vs. Piece vs. Commodity Level: Shipment | | | | |
| Field ID | Field Name | Update | Affected Transaction | | |
| 1640 | FICE Alternate Surcharge | New Field | 025/125 Rate Available Services Request/Reply | | |
| | Description FICE Alternate Surcharge field is used to provide the FedEx International Controlled Ex (FICE) alternate surcharge for shipment. Type: N Minimum Length: NA Maximum Length: 18 | | | | |
| | | | | | |
| | Multiple Occurrence: N | Input/Output: Output | Carrier: FDXE (for US and Puerto Rico origins) | | |
| | Valid Values (if applicable or NA): NA Default Value (if applicable or NA): NA Optionality (Required, Optional, Conditional – state why or NA): NA Shipment vs. Piece vs. Commodity Level: Shipment | | | | |

7.3 Error Codes and Messages

| Error Code | Error Messages |
|------------|--|
| 0907 | A valid FICE License Type Code, tag 1495, is required |
| 0909 | A valid FICE License Number, tag 1496, is required. |
| 0910 | A valid FICE License Expiration Date, tag: 1497, is required. It must be a current or a future date that is less than or equal to 48 months (4 year). Required format: MMDDYYYY. |
| 0911 | A valid Foreign Trade Zone Code, tag 1506, is required. |
| 0906 | A valid FICE Entry Number, tag 1399, is required. |
| 0908 | The FICE License Type Code, tag 1495, cannot be modified for Service Selected. |
| 0905 | FICE is not an available special service for this shipment origin/destination. |
| 2134 | Special service(s) mismatch |

7.4 Doc-Tab updates

FedEx Ship Manager Server adds 1527, 1860 and 1640 FICE fields to the Express Shipping Type "Values" drop down menu within the Configuration Utility Doc-Tab Settings tab.

| dvanced Settings | IPD / IED / IDF Settings | and the second sec | artPost Settings | |
|------------------------------|--------------------------|--|------------------|--------------|
| hipper Settings | eport Settings Labe | Settings Doc-Tab Settings | System Settings | Meter Settin |
| hipping Type | Doc Tab Fields | | | |
|) Express | Headings | Values | Reference | |
|) Export Express) Ground | FICE Surcharge | FICE Surcharge | - | |
| LTL Freight | Alternate FICE | Alternate FICE Surcharge | • | |
| Smartpost | List FICE Surch | List FICE Surcharge | • | |
| | | - none | • | |
| | | - none | • | |
| PrintTotalDocTabLabel | | - none | - | |
| rientation | | - none - | • | |
|) Тор | | - none | • | |
| Bottom | | none | •] 🗉 | |
| abel Stock Type | | - none | • | |
|) Leading Edge | | none | → | |
|) Trailing Edge | | - none | | |
| Copy To All Meters | | | | |
| | | | | |

Figure 1: FICE fields in Doc-Tab Settings

8 Analytics

The Analytics feature allows FedEx Ship Manager Server to capture and log your data usage on any FSMS component or feature, including installation and environment details. FedEx Ship Manager Server supports a persistent entry that enables or disables the Analytics feature to capture and upload defined data.

- Enabled = Data shall be captured and uploaded
- Disabled = Data shall NOT be captured nor uploaded

If the Analytics checkbox is enabled in the Advanced Settings tab, FedEx Ship Manager Server will gather the following user information for a period of 24 hours, create a XML file with summary and upload it daily to the back-end systems.

- Meter specific analytic data at the meter level.
- System information
- Utility usage of Broadcast Configured Client, Backup & Restore, Custom Label Generator, and Configuration Utility Open and Applied
- Routing information
- Transaction usage information
- Automated close usage information
- International Reports/Document and EOD report generation information
- 020 transaction usage information
- Shiptime shipping profile usage information
- Special service transaction usage information
- Return transaction usage information
- SmartPost transaction usage information

The figure below shows the Analytics checkbox in Advanced Settings tab of the configuration utility.

| Figure 2: Advance | d Setting | screen with | Analytics | checkbox |
|-------------------|-----------|-------------|-----------|----------|
|-------------------|-----------|-------------|-----------|----------|

| 🐨 FedEx Configuration | |
|--|----------------|
| Master Meter Number 1 12345678 Access Privileges Field Level | FedEx. |
| Shipper Settings Report Settings Label Settings Doc-Tab Settings System Settings | Meter Settings |
| Advanced Settings IPD / IED / IDF Settings Tracking Numbers SmartPost Settings | |
| Express & Ground Hourly Upload Interval (minutes) 60 | |
| Hourly Upload Retention Period (days) 14 🚔 Perform Datetime Sync 🗸 | |
| Communication Check Interval (hours) 72 🚔 🗹 Analytics | |
| Communication Logging Retention Period (days) 3 | |
| Ground Hourly Upload Retention Period (days) | |
| Tracking Logging Retention Period (days) 3 | |
| Ground Commercial Invoice Upload Retention Period (days) 14 📄 | |
| Time Lapse To Force Upload (hours) 60 | |
| Label Buffer Retention (days) 3 | |
| Transaction Log Retention Period (days) 5 🚔 🔲 Transaction Capture | |
| Transaction Buffer Setting | |
| | |
| | |
| Apply Apply & Exit Exit | Help |

9 Index

| 0 | |
|---|------|
| 0854 | |
| | |
| Α | |
| Analytics | |
| D | |
| Dry Ice Flag Dry Ice Weight | |
| Ε | |
| Export | 6, 8 |
| F | |
| FICE FICE Entry Number | |
| Н | |
| HAL Company Name Field HAL Location Type Hold At Location | |
| L | |
| Loose Dry Ice | |
| м | |
| Mexico | |
| S | |
| S – FedEx Onsite | |